

JUL-06-04 TUE 02:54 PM ROSENBERG KLEIN LEE

FAX NO. 410 461 3067

17621
RECEIVED P. 01
CENTRAL FAX CENTER

JUL 06 2004

OFFICIAL

David L. Klein
Registration No. 33,253

DIK/tea

LAW OFFICES

ROSENBERG, KLEIN & LEE

CHARITERS

MORTON J. ROSENBERG
DAVID L. KLEIN
JON T. LEE
HARRY L. SERNAKER

PATENT AGENTS
DAVID R. WOOD

PATENT RESEARCH
SPECIALISTS

JOHN V. PRUSTIA
RAYMOND J. DUDEK
EVA BURDMAN
MORGAN D. ROSENBERG
RUSSELL SCHULMANN
KEVIN PETERS
BARBARA BENTIVEGNA

365 ELLICOTT CENTER DRIVE

ELLICOTT CITY, MARYLAND 21043

PHONE (410)-461-3067 OR (410)-461-3067

FAX (410)-461-3067

INTERNET: info@rklpat.com

PATENT, TRADEMARK & COPYRIGHT MATTERS

DATE: 6 July 2004 TIME SENT: A.M. 3:46 P.M.

TOTAL PAGES (INCLUDING COVER SHEET): thirty-three (33)

ATTENTION: Examiner B.K. Talbot Group Art Unit # 1762

TO: U.S. Patent and Trademark Office

TO FAX NUMBER: 1-703-872-9306

TRANSMITTING FROM: ROSENBERG, KLEIN & LEE
Facsimile Number: 410-461-3067
Telephone Number: 410-461-6678

OUR DOCKET NO: MR. 683-507 APPLICATION SERIAL NO: 10/716,550

PLEASE NOTIFY US AT ONCE IF NOT RECEIVED PROPERLY.

ADDITIONAL COMMENTS:

FORMAL COMMUNICATION FOR ENTRY

Forwarded is Amendment responsive to Office Action dated
5 April 2004 for filing and processing.

JUL 06 2004

OFFICIAL

MR1683-5C7

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Don-Gey Lin, et al. : Group
Serial No: 10/716,550 : Art Unit #1762
Filed: 20 November 2003 : Examiner
Title: OXYGEN-REMOVING PRE- : B.K. Talbot
PROCESS FOR COPPER
INTERCONNECT GROWN BY :
ELECTROCHEMICAL
DISPLACEMENT DISPOSITION:

AMENDMENT

Mail Stop Non-Fee Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Responsive to the outstanding Official Action dated 5 April 2004, please
amend the above-referenced Patent Application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the Listing of Claims which
begins on page 14 of this paper.

Remarks/Arguments begin on page 18 of this paper.

An Appendix including a clean copy of the Amended Specification and a
clean copy of the Amended Abstract are attached following page 23 of this paper.